

Publications of scientific ocean drilling related research (2003-2012)

- Andres, M. S., Bernasconi, S. M., McKenzie, J. A.,** and Roehl, U., 2003, Southern Ocean deglacial record supports global Younger Dryas: *Earth and Planetary Science Letters*, v. 216, no. 4, p. 515-524.
- Andres, M. S., and McKenzie, J. A.,** 2004, Late Pleistocene oxygen and carbon isotope stratigraphy in bulk- and fine-fraction carbonate from the Great Australian Bight, ODP Leg 182, Site 1127: *Proceedings of the Ocean Drilling Program; scientific results*; v. 182, p. 13.
- Anselmetti, F. S., Isern, A. R., Blum, P., Andresen, N., Birke, T. K., Bracco Gartner, G. L., Burns, S. J., Conesa, G. A. R., Delius, H., Dugan, B., Eberli, G. P., Ehrenberg, S. N., Fuller, M. D., Muller, P. H., Hine, A. C., Howell, M. W., John, C. M., Karner, G. D., Kindler, P. F., Olson, B. E., Sasaki, K., Stewart, D., Wei, W., White, T. S., Wood, J. L., and Yamada, T.,** 2006, Constraining Miocene sea level change from carbonate platform evolution, Marion Plateau, northeast Australia; *Proceedings of the Ocean Drilling Program, Scientific Results* v. 194,
- Alt J.C., Shanks III, W.C., Crispini, L., Gaggero, L., **Schwarzenbach, E.M., Früh-Green G.L., Bernasconi, S.M.** 2012 Chemical Geology Uptake of carbon and sulphur during seafloor serpentinization and the effect of sedimentation metamorphism in Ligurian paridotites, *Chemical Geology*, 254, 19-35
- Bach, W. and **Früh-Green G.L.**, 2010. Alteration of the oceanic lithosphere and its implications for seafloor processes. *Elements*, 6: 173-178.
- Bailey, I., Bolton, C.T., DeConto, R.M., Pollard, D., **Schiebel, R.** and Wilson, P.A., 2010. A low threshold for North Atlantic ice-rafting from 'low-slung slippery' late Pliocene ice-sheets. *Paleoceanography* v. 25. PA1212
- Bartoli, G.,** Sarnthein, M., Weinelt, M., Erlenkeuser, H., Garbe-Schönberg, D., Lea, D.W., 2005. Final closure of Panama and the onset of Northern Hemisphere glaciation, *Earth and Planetary Science Letters.*, 237, 33-44,
- Bartoli, G.,** Sarntheim., M., Weinelt, M., 2006. Late Pliocene millennial-scale climate variability in the northern North Atlantic prior to and after the onset of Northern Hemisphere glaciation, *Paleoceanography*, 21(4), PA4205,
- Bartoli, G.,** Hönnisch, B., Zeebe, R.E., 2011. Atmospheric CO₂ decline during the Pliocene intensification of Northern Hemisphere glaciations, *Paleoceanography*, 26, PA4213,
- Beaudoin, Y., Scott, S. D., Gorton, M. P., **Zajacz, Z., and Halter, W.,** 2007, Effects of hydrothermal alteration on Pb in the active PACMANUS hydrothermal field, ODP Leg 193, Manus Basin, Papua New Guinea; a LA-ICP-MS study: *Geochimica et Cosmochimica Acta*, v. 71, no. 17, p. 4256-4278.
- Bernoulli, D.** and Jenkyns, H.C. 2009. Ancient oceans and continental margins of the Alpine-Mediterranean Tethys: deciphering clues from Mesozoic pelagic sediments and ophiolites. *Sedimentology*, 56: 149-190.
- Blackman D.K., Ildefonse B., John B.E., Ohara Y., Miller D.J., Abe N., Abratis M., Andal E.S., Andreani M., Awaji S., Beard J.S., Brunelli D., Charney A.B., Christie D.M., Collins J., **Delacour A.G.,** Delius H., Drouin M., Einaudi F., Escartín J., Frost B.R., **Früh-Green G.,** Fryer P.B., Gee J.S., Godard M., Grimes C.B., Halfpenny A., Hansen H-E., Harris A.C., Tamura A., Hayman N.W., Hellebrand E., Hirose T., Hirth J.G., Ishimaru S., Johnson K.T.M., Karner G.D., Linek M., MacLeod C.J., Maeda J., Mason O.U., McCraig A.M., Michibayashi K., Morris A., Nakagawa T., Nozaka T., Rosner M., Searle R.C., Suhr G., Tominaga M., von der Handt A., Yamasaki T., Zhao X., 2011. Drilling constraints on lithospheric accretion and evolution at Atlantis Massif, Mid-Atlantic Ridge 30°N. *Journal of Geophysical Research*, v. 116, no. B7, p. (Citation B07103).
- Blackman D.K., Kelley D.S., Karson J.A., Cann J.R., **Früh-Green G.L.,** Gee J.S., Hurst S.D., John B.E., Morgan J., Nooner S.L., Ross D.K., Schroeder, T.J. and Williams E.A. (2002) Geology of the Atlantis Massif (Mid-Atlantic Ridge, 30°N): Implications for the evolution of an ultramafic oceanic core complex. *Marine Geophysical Researches*, 23:443-469.
- Bodin, S., Godet, A., Matera, V., Steinmann, P., Vermeulen, J., Gardin, S., Adatte, T., Coccioni, R., and Föllmi, K. B.,** 2007, Enrichment of redox-sensitive trace metals (U, V, Mo, As) associated with the late Hauterivian Faraoni oceanic anoxic event: *International Journal of Earth Sciences*, v. 96, no. 2, p. 327-341.
- Bodin, S., Godet, A., Föllmi, K.B., Vermeulen, J., Arnaud, H., Strasser, A., Fiet, N., and Adatte, T.,** 2006. The late Hauterivian Faraoni oceanic anoxic event in the western Tethys: evidence from phosphorus burial rates. *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 235, p. 245-264.

- Bodin, S.,** Fiet, N., **Godet, A.,** Matera, V., Westermann, S., Clément, A., Janssen, N.M.M., Stille, P., and **Föllmi, K.B.,** 2009. Early Cretaceous (late Berriasian to early Aptian) palaeoceanographic change along the northwestern Tethyan margin (Vocontian Trough, southeastern France): $d^{13}C$, $d^{18}O$ and Sr-isotope belemnite and whole-rock records. *Cretaceous Research*, v. 30, p. 1247-1262.
- Bollmann, J., Quinn, P. S.,** Vela, M., Brabec, B., Brechner, S., **Cortes, M. Y., Hilbrecht, H., Schmidt, D., Schiebel, R.,** and **Thierstein, H. R.,** 2004. Automated particle analysis: calcareous microfossils. In: Francus, P.: *Image Analysis, Sediments and Paleoenvironments*. Springer Verlag, Dordrecht, the Netherlands: 229-252.
- Boschi, C., Früh-Green G. L.** and Escartín J., 2006. Occurrence and significance of serpentinite-hosted, talc-rich fault rocks in modern oceanic settings and ophiolite complexes. *Ophioliti*, 31(2), 123-134.
- Boschi, C.,** Dini A., **Früh-Green G.L.,** and Kelley D.S., 2008. Isotopic and element exchange during serpentinization and metasomatism at the Atlantis Massif: Insights from B and Sr isotope geochemistry. *Geochim. Cosmochim. Acta*, 72: 1801-1823.
- Boschi, C., Früh-Green G.L., Delacour A.,** Karson J.A., and Kelley D.S., 2006. Mass transfer and fluid flow during detachment faulting and development of an oceanic core complex, Atlantis Massif (MAR 30°N), *Geochem. Geophys. Geosyst.* 7, Q01004.
- Böttcher, M.E., Geprägs, P., Neubert, N., **von Allmen, K., Pretet, C., Samankassou E.,** and **Nägler T.F.** (2012) Barium isotope fractionation during experimental formation of the double carbonate BaMn[CO₃]₂ at ambient temperature, *Isotopes in Environmental and Health Studies*, v. 48, No. 3, p. 457-463.
- Buchs D.M., Baumgartner P.O., Baumgartner-Mora C., Flores K. and Bandini A.** (2011) Upper Cretaceous to Miocene tectono-stratigraphy of the Azuero area (Panama) and the discontinuous accretion and subduction erosion along the Mid-American margin, *Tectonophysics*, v.512, 31-46
- Burla, S., Heimhofer, U., Hochuli, P. A., Weissert, H.,** and Skelton, P., 2008, Changes in sedimentary patterns of coastal and deep-sea successions from the North Atlantic (Portugal) linked to Early Cretaceous environmental change: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 257, no. 1-2, p. 38-57.
- Christl, M.,** Lippold, J., **Steinhilber, F., Bernsdorff, F.,** and Mangini, A., 2010, Reconstruction of global (super 10) Be production over the past 250 ka from highly accumulating Atlantic drift sediments: *Quaternary Science Reviews*, v. 29, no. 19-20, p. 2663-2672.
- Christl, M.,** Mangini, A., and **Kubik, P. W.,** 2007, Highly resolved beryllium-10 record from ODP Site 1089; a global signal?: *Earth and Planetary Science Letters*, v. 257, no. 1-2, p. 245-258.
- Clift, P. D., Pecher, I. A., Kukowski, N., and **Hampel, A.,** 2005, Tectonic erosion of the Peruvian forearc, Lima Basin, by subduction and Nazca Ridge collision: reply: *Tectonics*, v. 24, no. 2, p. 2.
- Delacour, A., Früh-Green, G.L., Bernasconi, S.M.** and Kelley, D.S., 2008. Sulfur in peridotites and gabbros at Lost City (30°N, MAR): Implications for hydrothermal alteration and microbial activity during serpentinization, *Geochim. Cosmochim. Acta*. 72:5090-5110.
- Delacour, A., Früh-Green, G.L., Bernasconi, S.M.** and Kelley, D.S., 2008. Sulfur in peridotites and gabbros at Lost City (30°N, MAR): Implications for hydrothermal alteration and microbial activity during serpentinization, *Geochim. Cosmochim. Acta*. 72:5090-5110.
- Delacour, A., Früh-Green, G.L., Bernasconi, S.M.,** Schaeffer, Ph. and Kelley, D.S., 2008. Carbon geochemistry of serpentinites at the Lost City Hydrothermal System (30°N, MAR) *Geochim. Cosmochim. Acta*. 72: 3681-3702.
- Delacour, A., Früh-Green, G.L.,** Frank, M., Gutjahr, M., and Kelley D.S., 2008. Sr- and Nd-isotope geochemistry of the Atlantis Massif (30°N, MAR): Implications for fluid fluxes and lithospheric heterogeneity, *Chemical Geology*, 254: 19-35.
- D'Hondt, S., Jørgensen, B.B., Miller, D.J., Batzke, A., Blake, R., Cragg, B.A., Cypionka, H., Dickens, G.R., Ferdelman, T., Hinrichs, K.-U., Holm, N., Mitterer, R., Spivak, Wang, G., A., Bekins, B., Engelen, B., Ford, K., Gettemy, G., Rutherford, S.D., Skilbeck, C.G., Aiello, I.W., Guérin, G., House, C., Inagaki, F., **Meister, P.,** Naehr, T., Niituma, S., Parkes, R.J., Schippers, A., Smith, D.C., Teske, A., Wiegel, J., Naranjo Padilla, C., and Solis Acosta, J.L. (2004). Distribution of metabolic activities in deep subseafloor sediments. *Science* 306, 2216-2221.
- Doan M.-L., Conin M., Henry P., Wiersberg T., Boutt D., **Buchs D.,** Saffer D., McNeil L., Cukur D., Lin W.,

Quantification of Free Gas in the Kumano Forearc Basin detected from Borehole Physical Properties: IODP NanTroSEIZE drilling Site C0009, *Geochemistry Geophysics Geosystems*, 12, Q0AD06, 2011.

Dubois, N., Kindler, P., Spezzaferri, S., and Coric, S., 2008, The initiation of the southern central Great Barrier Reef; new multiproxy data from Pleistocene distal sediments from the Marion Plateau (NE Australia): *Marine Geology*, v. 250, no. 3-4, p. 223-233.

Dumitrica, P., 2004, Maastrichtian Challengeriidae (phaeodarian Radiolaria) from deep sea sediments of SW Pacific: *Revue de Micropaleontologie*, v. 47, no. 3, p. 127-134.

Eberli, G.P., **Anselmetti, F.S.**, Isern, A.R. and Delius, H., 2010, Timing and changes in sea-level and currents along Miocene platforms on the Marion Plateau, Australia; in *Cenozoic carbonate systems of Australasia: SEPM Special Publication 95*, 219-242.

Eberli, G.P., **Anselmetti, F.S.**, Betzler, C., Van Konijnenburg, J.-H. and **Bernoulli, D.**, 2004, Carbonate platform to basin transitions on seismic data and in outcrops: Great Bahama Bank and the Maiella Platform margin, Italy: in Eberli, G.P., Masaferro, J.L. and Sarg, J.F., (eds.), *Seismic imaging of carbonate reservoirs and systems*, AAPG Memoir 81, 207-250.

Eberli, G. P., Baechle, G. T., **Anselmetti, F. S.**, and Incze, M. L., 2003, Factors controlling elastic properties in carbonate sediments and rocks: *Leading Edge* v. 22, no. 7, p. 654-660.

Egli, R., 2004, Characterization of individual rock magnetic components by analysis of remanence curves; 1, Unmixing natural sediments: *Studia Geophysica et Geodetica*, v. 48, no. 2, p. 391-446.

Emeis, K.C. and Weissert, H. 2009. Tethyan-Mediterranean organic carbon-rich sediments from Mesozoic black shales to sapropels. *Sedimentology*, 56: 247-266.

Erba, E., Bottini, C., **Weissert, H. J., and Keller, C. E.**, 2010, Calcareous nannoplankton response to surface-water acidification around Oceanic Anoxic Event 1a: *Science*, v. 329, no. 5990, p. 428-432.

Faccenda, M., Gerya, T.V., Mancktelow, N.S., Moresi, L., 2012. Fluid flow during slab unbending and dehydration: Implications for intermediate-depth seismicity, slab weakening and deep water recycling. *Geochemistry, Geophysics, Geosystems*, 13, Article Number: Q01010.

Fietz, S., **Martinez-Garcia, A.**, Rueda, G., Peck, V.L., Huguet, C., Escala, M., and Rosell-Mele A., 2011. Crenarchaea and phytoplankton coupling: Common trigger or metabolic dependence? *Limnology and Oceanography* 56(5), 1907-1916.

Fietz, S., **Martinez-Garcia, A.**, Huguet, C., Rueda, G., Rosell-Mele A., 2011. Constraints on the application of the Branched and Isoprenoid Tetraether (BIT) index as a terrestrial input proxy. *Journal of Geophysical Research – Oceans*, 116, C10032.

Föllmi, K.B., 2012. Early Cretaceous life, environment and anoxia. Review paper, *Cretaceous Research*, v. 35, p. 230-257.

Föllmi, K.B., Godet, A., Bodin, S., and **Linder, P.**, 2006. Interactions between environmental change and shallow-water carbonate build-up along the northern Tethyan margin and their impact on the early Cretaceous carbon-isotope record. *Paleoceanography*, v. 21, PA4211, doi:10.1029/2006PA001313.

Föllmi, K.B., Bodin, S., Godet, A., **Linder, P.**, and van de Schootbrugge, B., 2007. Unlocking paleo-environmental information from Early Cretaceous shelf sediments in the Helvetic Alps: stratigraphy is the key! *Swiss Journal of Geosciences*, v. 100, p. 349-369.

Föllmi, K.B., Gertsch, B., Renevey, J.P., de Kaenel, E. and Stille, P., 2008. Stratigraphy and sedimentology of phosphate-rich sediments in Malta and southeastern Sicily (latest Oligocene to early Late Miocene). *Sedimentology*, v. 55, p. 1029-1051.

Föllmi, K.B., Bôle, M., Jammet, N., Froidevaux, P., Godet, A., Bodin, S., **Adatte, T.**, Matera, V., **Fleitmann, D.**, and **Spangenberg, J.E.**, 2012. Bridging the Faraoni and Selli oceanic anoxic events: late Hauterivian to early Aptian dysaerobic to anaerobic phases in the Tethys. *Climates of the Past*, v. 8, p. 171-189.

Föllmi, K.B., Badertscher, C., de Kaenel, E., Stille, P., John, C., **Adatte, T., and Steinmann, P.**, 2005. Phosphogenesis and organic-carbon preservation in the Miocene Monterey Formation at Naples Beach, California – the Monterey hypothesis revisited. *Geological Society of America Bulletin*, v. 117, p. 589-619.

- Föllmi, K.B., Tamburini, F., Hosein, R., van de Shootbrugge, B., Arn, K.,** and Rambeau, C., 2004. Phosphorus, a servant faithful to Gaia? Biosphere remediation rather than regulation. In Schneider, S.H., Miller, J.R., Crist, E., and Boston, P., eds., *Scientists debate Gaia: The Next Century*, MIT Press, Cambridge, Massachusetts, p. 79-92.
- Frank, M., Backman, J., Jakobsson, M., Moran, K., O'Regan, M., King, J., Haley, B. A., **Kubik, P. W.**, and Garbe-Schoenberg, D., 2008, Beryllium isotopes in central Arctic Ocean sediments over the past 12.3 million years; stratigraphic and paleoclimatic implications: *Paleoceanography*, v. 23, no. 1, p. (Citation PA1S02).
- Früh-Green G.L., Connolly J.A.D., Kelley D.S., Plas A. and Grobety B.** (2004) Serpentization of oceanic peridotites: Implications for geochemical cycles and biological activity. In: *The Subseafloor Biosphere at Mid-Ocean Ridges*, eds W.D. Wilcock, D.S. Kelley, E. DeLong, C. Cary, AGU Geophysical Monograph 144:119-136.
- Früh-Green G.L., Kelley D.S., Bernasconi S.M., Karson J.A., Ludwig K.A., Butterfield D.A., Boschi C.,** and Proskurowski G. (2003) 30,000 years of hydrothermal activity at the Lost City vent field. *Science*, 301(5632):495-498.
- Galbraith, E.D., Kienast, M.M., **Jaccard, S.L.**, Pedersen, T.F. Brunelle, B.G., Sigman, D.M., Kiefer, T. Consistent relationship between global climate and surface nitrate utilization in western Subarctic Pacific throughout the last 500 ka, *Paleoceanography*, 23, PA2212, 2008.
- Galbraith, E.D., **Jaccard, S.L.**, 2008, An increase in the North Pacific abyss during the last deglaciation, *Nature*, 449, 890-894.
- Galli, M.T., Jadoul, F., Bernasconi, S.M. and Weissert, H.** 2005. Anomalies in global carbon cycling and extinction at the Triassic/Jurassic boundary: evidence from a marine C-isotope record. *Palaeogeography Palaeoclimatology Palaeoecology*, 216: 203-214.
- Gerya, T.**, 2010. Dynamical instability produces transform faults at mid-ocean ridges. *Science*, 329, 1047-1050
- Gerya, T.**, 2012. Origin and models of oceanic transform faults. *Tectonophysics*, 522-523, 34-56.
- Gerya, T.V.**, 2011. Intra-oceanic subduction zones. In: D. Brown and P.D. Ryan (Eds.) *Arc-Continent Collision, Frontiers in Earth Sciences*. Springer-Verlag, Berlin Heidelberg, pp.23-51
- Godet, A., Bodin, S., Föllmi, K.B., Vermeulen, J., Gardin, S., Fiet, N., Adatte, T., Berner, Z., Stüben, D.,** and van de Shootbrugge, B., 2006. Evolution of the marine stable carbon-isotope record during the early Cretaceous: a focus on the late Hauterivian and Barremian in the Tethyan realm. *Earth and Planetary Science Letters*, v. 242, p. 254-271.
- Godet, A., Bodin, S., Föllmi, K.B., Vermeulen, J., Gardin, S., Fiet, N., Adatte, T., Berner, Z., Stüben, D.,** and van de Shootbrugge, B., 2006. Evolution of the marine stable carbon-isotope record during the early Cretaceous: a focus on the late Hauterivian and Barremian in the Tethyan realm. *Earth and Planetary Science Letters*, v. 242, p. 254-271.
- Godet, A., Bodin, S., Adatte, T., and Föllmi, K.B.**, 2008. Platform-induced clay-mineral fractionation along a northern Tethyan basin-platform transect: implications for the interpretation of Early Cretaceous climate change (Late Hauterivian-Early Aptian). In **Föllmi, K.B. and Adatte, T.** (Eds.), *Life and the environment during the Cretaceous, Cretaceous Research*, special volume, v. 29, p. 830-847.
- Godet, A., Föllmi, K.B., Stille, P., Bodin, S., Matera, V., and Adatte, T.**, 2011. Reconciling Strontium-isotope and K-Ar ages with biostratigraphy: the case of the Urgonian platform, Early Cretaceous of the Jura Mountains, Western Switzerland. *Swiss Journal of Geosciences*, v. 104, p. 147-160.
- Grauel A-L. and Bernasconi S.M.**, 2010. Core-top calibration of $\delta^{18}\text{O}$ and $\delta^{13}\text{C}$ of *G. ruber* (white) and *U. mediterranea* along the Southern Italian coast. *Marine Micropaleontology*, 77, 175-186.
- Gutjahr, M.**, Hoogakker, B. A. A., Frank, M., McCave, I. N. (2010). Changes in North Atlantic Deep Water strength and bottom water masses during Marine Isotope Stage 3 (45-35 ka BP) *Quaternary Science Reviews* 29(19-20) p. 2451-2461
- Haug, G.H., Günther, D., Peterson, L.C., Sigman, D.M., Hughen, K.A. Aeschlimann, B.**, 2003. Climate and the Collapse of Maya Civilization. *Science* 299, 1731-1735.

- Haug, G.H.**, Ganopolski, A., Sigman, D.M., Rosell-Mele, A., Swann, G.E.A., Tiedemann, R., **Jaccard, S.L.**, **Bollmann, J.**, Maslin, M.A., Leng, M.J., Eglington, G., 2005. The Seasonal Cycle in North Pacific Sea-Surface Temperature and the Glaciation of North America 2.7 Million Years Ago, *Nature* 433, 821-825.
- Heck, P. R., Anselmetti, F. S.**, and Isern, A. R., 2006, Late Pleistocene and Holocene sedimentation on the Marion Plateau; data from precruise ODP Leg 194 site survey gravity cores: *Proceedings of the Ocean Drilling Program*, v. 194, p. 13.
- Heck, P.R., Frank, M., Anselmetti, F.S.**, and Kubick, P.W., 2007, Origin and age of submarine ferromanganese hardgrounds from the Marion Plateau, offshore northeast Australia. *Proceedings of the Ocean Drilling Program*, v. 194, p. 13.
- Heimhofer, U., Hochuli, P.A., Burla, S., Dinis, J.M.L. and Weissert, H.** 2005. Timing of Early Cretaceous angiosperm diversification and possible links to major paleoenvironmental change. *Geology*, 33: 141-144.
- Heimhofer, U., Hochuli, P.A., Herrle, J.O., Andersen, N. and Weissert, H.** 2004. Absence of major vegetation and palaeoatmo spheric PCO₂ changes associated with oceanic anoxic event 1a (Early Aptian, SE France). *Earth and Planetary Science Letters*, 223: 303-318.
- Henriet, J.P., **S. Spezzaferri, E. Samankassou**, A. Fouquet, D. Van Rooij, A. Rüggeberg (2011) Carbonate mounds in shallow and deep time. *Marine Geology*, V. 282, (1–2), 1–4
- Henry, P., Kanamatsu, T., Moe, K.T., **Strasser, M.**, and the IODP Expedition 333 Scientific Party (2012). IODP Expedition 333 returns to the subduction input sites and cores mass transport deposits at the footwall of the megasplay thrust. *Scientific Drilling*, 14, 4-17 DOI: 10.2204/iodp.sd.14.01.2012
- Herrmann, S.**, Weller, A. F., Henderiks, J., and **Thierstein, H. R.**, 2012, Global coccolith size variability in Holocene deep-sea sediments: *Marine Micropaleontology*, v. 82-83, p. 1-12.
- Herrmann, S. and Thierstein, H.R.**, 2012. Cenozoic coccolith size changes—Evolutionary and/or ecological controls? *Palaeogeography, Palaeoclimatology, Palaeoecology*, 333-334: 92-106.
- Ikari, M.J., **Strasser, M.**, Saffer, D.M., Kopf, A.J., (2011). Submarine landslide potential near the megasplay fault at the Nankai subduction zone. *Earth and Planetary Science Letters*, 312, 453-462.
- Ildefonse, B., Blackman, D.K., John, B.E., Ohara, Y., Miller, D.J., MacLeod, C.J. (with **Delacour, A.** as part of the IODP Expeditions 304-305 Scientists) 2007.) Oceanic Core Complexes and Crustal Accretion at Slow-Spreading Ridges. *Geology*, 35, 623-626.
- Heuser, A., Eisenhauer, A., Boehm, F., Wallmann, K., Gussone, N., Pearson, P. N., **Naegler, T. F.**, and Dullo, W.-C., 2005, Calcium isotope (δ (super 44/40) Ca) variations of Neogene planktonic Foraminifera: *Paleoceanography*, v. 20, no. 2, p. 13.
- Holtvoeth, J., Wagner, T., and **Schubert, C. J.**, 2003, Organic matter in river-influenced continental margin sediments; the land-ocean and climate linkage at the late Quaternary Congo Fan (ODP Site 1075), *Geochemistry, Geophysics, Geosystems*, v. 4, 1109 27 pp
- Isern. A.R., **Anselmetti, F.S.** and Blum, P , 2004, A Neogene carbonate platform, slope and shelf edifice shaped by sea level and ocean currents, Marion Plateau (Northeast Australia): in Eberli, G.P., Masaferro, J.L. and Sarg, J.F., (eds.), *Seismic imaging of carbonate reservoirs and systems*, AAPG Memoir 81, 291-307.
- Ivarsson, M., Bengtson, S., Belivanova, V., **Stampanoni, M., Marone, F.**, Tehler, A., (2012) Fossilized fungi in subseafloor Eocene basalts, *Geology*, 40(2) 163-166
- Jaccard, S.L.** and Galbraith, E.D., 2012. Large climate-driven changes of oceanic oxygen concentrations during the last deglaciation. *Nature Geoscience*, 5, 151-156.
- Jaccard, S.L.**, Galbraith, E.D., Sigman, D.M., **Haug, G.H.**, 2010. A pervasive link between Antarctic ice core and subarctic Pacific sediment records over the past 800 kyrs, *Quaternary Science Reviews*, 29, 206-212.
- Jaccard, S.L.**, Galbraith, E.D., **Haug, G.H.**, Sigman, D.M., François, R., Pedersen, T.F., Dulski, P., **Thierstein, H.R.**, 2009. Subarctic Pacific evidence for a glacial deepening of the oceanic respiration carbon pool, *Earth and Planetary Science Letters*, 277, 156-165.
- Jaccard, S.L., Haug, G.H.**, Sigman, D.M., Pedersen, T.F., **Thierstein, H.R.**, Röhl. U, 2005. Glacial/Interglacial changes in Subarctic North Pacific stratification, *Science* 308, 1003-1006.

- Jackett, S.-J., and Baumgartner, P. O.**, 2007, New imaging techniques applied to Paleogene Radiolaria: *Micropaleontology*, v. 53, no. 3, p. 239-247.
- Jackett, S.-J., Baumgartner, P. O.**, and Bandini, A. N., 2008, A new low-latitude late Paleocene-early Eocene radiolarian biozonation based on unitary associations; applications for accreted terranes: Radiolarians in stratigraphy; selected papers from InterRad XI, v. 5, no. 1, p. 39-62.
- Jagoutz O., Müntener, O., Manatschal, G., Rubatto, D., Peron-Pinvidic, G., Turrin, B., Villa, I.M., 2007. The rift to drift transition in the Atlantic: a stuttering start of the MORB machine? *Geology* 35, 1087-1090.
- Jaeschke A., Jørgensen S.L., Bernasconi S.M., Früh-Green G.L., Thorseth I.H., Pedersen R.B.**, 2012, Microbial diversity of Loki's Castle black smokers at the Arctic Mid-Ocean Ridge. *Geobiology*, doi: 10.1111/gbi.12009.
- John, C. M., **Adatte, T.**, and Mutti, M., 2006, Regional trends in clay mineral fluxes to the Queensland margin and ties to middle Miocene global cooling: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 233, no. 3-4, p. 204-224.
- Karson J.A., **Früh-Green G.L.**, Kelley D.S., Williams E.A., Yoerger D.R. and Jakuba M (2006) Detachment Shear Zone of the Atlantis Massif Core Complex, Mid-Atlantic Ridge 30°N. *Geochem. Geophys. Geosyst.*, 7, Q06016, doi:10.1029/2005GC001109.
- Keller, G., **Adatte, T.**, Tantawy, A. A., Berner, Z., Stinnesbeck, W., Stueben, D., and Leanza, H. A., 2007, High stress late Maastrichtian-early Danian palaeoenvironment in the Neuquen Basin, Argentina: Cretaceous Research, v. 28, no. 6, p. 939-960.
- Keller, G., Stinnesbeck, W., **Adatte, T.**, and Stueben, D., 2003, Multiple impacts across the Cretaceous-Tertiary boundary: *Earth-Science Reviews*, v. 62, no. 3-4, p. 327-363.
- Kelley D.S., **Früh-Green, G.L.**, Karson J.A. and Ludwig K.A. (2007) The Lost City Hydrothermal Field revisited. *Oceanography*, 20/4: 80-89.
- Kelley D.S., Karson J.A., **Früh-Green G.L.**, Yoerger D.R., Shank T.M., Butterfield D.A., Hayes J.M., Schrenk M.O., Olson E.J., Proskurowski G., Jakuba M., Bradley A., Larson B., Ludwig K., Glickson D., Buckman K., Bradley AS, Brazelton W.J., Roe K., Elend M.J., **Delacour A., Bernasconi S.M.**, Lilley M.D., Baross J.A., Summons R.T., Sylva S.P. (2005) A Serpentinite-Hosted Ecosystem: The Lost City Hydrothermal Field. *Science*, 307(5714): 1428-1434.
- Kelley D.S., Lilley M.D. and **Früh-Green G.L.** (2004) Volatiles in submarine environments: Food for life. In: *The Subseafloor Biosphere at Mid-Ocean Ridges*, eds W.D. Wilcock, D.S. Kelley, E. DeLong, C. Cary, AGU Geophysical Monograph 144:167-189.
- Kimura G., Moore, G., **Strasser, M.**, Screamton, E., Curewitz, D., Stereiff, C., Tobin, H., (2011), Spatial and temporal evolution of the megasplay fault in the Nankai Trough. *Geochemistry, Geophysics, Geosystems*, 12, Q0A008, doi:10.1029/2010GC003335;
- Kindler, P., Ruchonnet, C., and White, T., 2006, The southern Marion Platform (Marion Plateau, NE Australia) during the early Pliocene; a lowstand-producing, temperate-water carbonate factory: *Geological Society Special Publications*, v. 255, p. 269-282.
- Knappertsbusch, M. and Mary, Y.** (2012). Mining morphological evolution in microfossils using volume density diagrams. *Palaeontologia Electronica*, Vol. 15, Issue 3; 7T: 209p. URL: <http://palaeo-electronica.org/content/issue-3-2012-technical-articles/282-volume-density-diagrams/>
- Knappertsbusch, M.**, (2011) Evolution im marinen Plankton, Mitteilungen der Naturforschenden Gesellschaften beider Basel 13 Publisher: Naturforschende Gesellschaft, Basel, Switzerland P. 3-14 ISSN: 1420-4606
- Knappertsbusch, M., Binggeli, D., Herzig, A., Schmutz, L., Stapfer, S., Schneider, C., Eisenecker, J., and Widmer, L.** (2009). AMOR - A new system for automated imaging of microfossils for morphometric analyses. *Palaeontologia Electronica*, Vol. 12, Issue 2; 2T: 20 p. URL: http://palaeo-electronica.org/2009_2/165/index.html
- Knappertsbusch, M.**, (2007) Morphological variability of *Globorotalia menardii* (planktonic Foraminifera) in two DSDP cores from the Caribbean Sea and the eastern Equatorial Pacific. *Carnets de Géologie Notebooks on Geology*, 34 p. ISSN: 1634-0744

- Knudsen, M. F., Henderson, G. M., Frank, M., Mac Niocaill, C., and **Kubik, P. W.**, 2008, In-phase anomalies in beryllium-10 production and palaeomagnetic field behaviour during the Iceland Basin geomagnetic excursion: *Earth and Planetary Science Letters*, v. 265, no. 3-4, p. 588-599.
- Kocsis, L.; Vennemann, T. W.; Fontignie, D.; Baumgartner, C.; Montanari, A.; Jelen, B.** (2008) Oceanographic and climatic evolution of the Miocene Mediterranean deduced from Nd, Sr, C, and O isotope compositions of marine fossils and sediments: *Paleoceanography*, v. 23, no. 4, p. (Citation PA4211)
- Kodolanyi, Janos ; Pettke, Thomas; Spandler, Carl; Kamber, Balz S.; Gmeling, Katalin** (2012) Geochemistry of ocean floor and fore-arc serpentinites; constraints on the ultramafic input to subduction zones. *Journal of Petrology*, v. 53, no. 2, p. 235-270.
- Kodolanyi, Janos; Pettke, Thomas** (2011) Loss of trace elements from serpentinites during fluid-assisted transformation of chrysotile to antigorite; an example from Guatemala. *Chemical Geology* 284(3-4)
- Kuhn, O., Weissert, H., Föllmi, K.B., and Hennig, S.**, 2005. Altered carbon cycling and trace-metal enrichment during the late Valanginian and early Hauterivian. *Eclogae geologicae Helvetiae*, v. 98, p. 333-344.
- Landais, A., Masson-Delmotte, V., Combourieu Nebout, N., Jouzel, J., **Blunier, T., Leuenberger, M.**, Dahl-Jensen, D., and Johnsen, S., 2007, Millennial scale variations of the isotopic composition of atmospheric oxygen over Marine Isotopic Stage 4: *Earth and Planetary Science Letters*, v. 258, no. 1-2, p. 101-113.
- Landais, A., Masson-Delmotte, V., Jouzel, J., Raynaud, D., Johnsen, S., **Huber, C., Leuenberger, M., Schwander, J.**, and Minster, B., 2006, The glacial inception as recorded in the NorthGRIP Greenland ice core; timing, structure and associated abrupt temperature changes: *Climate Dynamics*, v. 26, no. 2-3, p. 273-284.
- Lang S.Q., Früh-Green G.L., Bernasconi S.M., Lilley M.D., Proskurowski G., Méhay S., and Butterfield D.A.**, 2012, Microbial utilization of abiogenic carbon and hydrogen in a serpentinite-hosted system. *Geochim. Cosmochim. Acta*, 92:82–99.
- Lin W., Doan M.-L., Moore J. C., McNeill L., Byrne T. B., Ito T., Saffer D., Conin M., Kinoshita M., Sanada Y., Moe K. T., Araki E., Tobin H., Boutt D., Kano Y., Hayman N. W., Flemings P., Huftile G. J., Cukur D., Buret C., Schleicher A. M., **Efimenko N., Kawabata K., Buchs D. M., Jiang S., Kameo K., Horiguchi K., Wiersberg T., Kopf A., Kitada K., Eguchi N., Toczko S., Takahashi K. and Kido Y.** Present-day principal horizontal stress orientations in the Kumano forearc basin of the southwest Japan subduction zone determined from IODP NanTroSEIZE drilling Site C0009, *Geophysical Research Letters*, 37, L13303,
- Ling Hongfei, Jiang, S. Y., **Frank, M.**, Zhou, H. Y., Zhou, F., Lu, Z. L., Chen, X. M., Jiang, Y. H., and Ge, C. D., 2005, Differing controls over the Cenozoic Pb and Nd isotope evolution of deepwater in the central North Pacific Ocean: *Earth and Planetary Science Letters*, v. 232, no. 3-4, p. 345-361.
- Lippold, J., Gruetzner, J., Winter, D., Lahaye, Y., Mangini, A., and **Christl, M.**, 2009, Does sedimentary Pa-231/Th-230 from the Bermuda Rise monitor past Atlantic Meridional Overturning Circulation?: *Geophysical Research Letters*, v. 36, no. 12, p. (Citation L12601).
- Louis-Schmid, B., Rais, P., Schaeffer, P., Bernasconi, S.M. and Weissert, H.** 2007. Plate tectonic trigger of changes in pCO_2 and climate in the Oxfordian (Late Jurassic): Carbon isotope and modeling evidence. *Earth and Planetary Science Letters*, 258: 44-60.
- Ludwig, K. A., Kelley, D. S., Butterfield, D. A., Nelson, B. K., and **Frueh-Green, G.**, 2006, Formation and evolution of carbonate chimneys at the Lost City hydrothermal field: *Geochimica et Cosmochimica Acta*, v. 70, no. 14, p. 3625-3645.
- Manatschal, G., **Muentener, O.**, Lavier, L. L., Minshull, T. A., and Peron-Pinvidic, G., 2007, Observations from the Alpine Tethys and Iberia-Newfoundland margins pertinent to the interpretation of continental breakup: *The Geological Society Special Publications*, v. 282, p. 291-324.
- Manatschal, G. & **Müntener, O.**, 2009. A type sequence across an ancient magma-poor ocean-continent transition: the example of the western Alpine Tethys ophiolites. *Tectonophysics* 473, 4-19.
- Marcaillou, B., Kinoshita, M., Herry, P., Lee, Y., Matsubayashi, O., Moe, K.T., Kodaira, S., Harcouet, V., Yamano, M., Scream, E., Daigle, H., and the IODP Expedition 333 Scientists (including **Strasser M.**), 2012. Seismogenic zone and heat-flow anomalies in the To-nankai margin segment based on a thermal modelling synthesis and thermal data from the IODP expedition 333, *Earth and Planetary Science Letters*, 349-350, 171-185; DOI 10.1016/j.epsl.2012.06.048;

- Margreth, S.**, Rüggeberg, A. and **Spezzaferri, S.**, 2009. Benthic foraminifera as proxies for cold-water coral reef ecosystems along the Irish Margin. *Deep Sea Research I*, 56, 2216-2234
- Margreth, S., Gennari, G.**, Rüggeberg, Comas M.C., Pinheiro, L., and **Spezzaferri S.**, 2011. Growth and demise of cold-water coral ecosystems on mud volcanoes in the West Alboran Sea: messages from the planktonic and benthic foraminifera. *Marine Geology*, 282, 26-39.
- Martinez-Garcia, A.**, Rosell-Mele, A., **Jaccard, S. L.**, Geibert, W., Sigman, D. M., and **Haug, G. H.**, 2011, Southern Ocean dust; climate coupling over the past four million years: *Nature*, v. 476, no. 7360, p. 312-315.
- Martinez-Garcia, A.**, Rosell-Mele, A., McClymont, E. L., Gersonde, R., and **Haug, G. H.**, 2010, Subpolar link to the emergence of the modern Equatorial Pacific cold tongue: *Science*, v. 328, no. 5985, p. 1550-1553.
- Martinez-Ruiz, F., Paytan, A., Kastner, M., Gonzalez-Donoso, J. M., Linares, D., **Bernasconi, S. M.**, and Jimenez-Espejo, F. J., 2003, A comparative study of the geochemical and mineralogical characteristics of the S1 sapropel in the western and eastern Mediterranean: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 190, p. 23-37.
- Martrat, B., Grimalt, J. O., Shackleton, N. J., de Abreu, L., **Hutterli, M. A., and Stocker, T. F.**, 2007, Four climate cycles of recurring deep and surface water destabilizations on the Iberian Margin: *Science*, v. 317, no. 5837, p. 502-507.
- Mauclaire, L.**, Zepp, K., **Meister, P.** and **McKenzie, J.A.**, 2005. Direct in situ detection of cells in deep-sea sediment cores from the Peru Margin (ODP Leg 201, Site 1229). *Geobiology* 2/4, 217-223.
- McCaig AM, **Delacour A**, Fallick AE, Castelain T, **Früh-Green GL**, 2010. Fluid circulation and isotopic alteration in and beneath oceanic detachment faults in the Central Atlantic: Implications for the geometry and evolution of high-temperature hydrothermal circulation cells at slow-spreading ridges, In: Diversity of Hydrothermal Systems on Slow Spreading 5 Ocean Ridges, eds PA Rona, CW Devey, J Dyment and BJ Murton, AGU Geophysical Monograph Series 188:207-239.
- McClymont, Erin L.; Rosell-Mele, Antoni; Haug, Gerald H.; Lloyd, Jerry M. (2008) Expansion of subarctic water masses in the North Atlantic and Pacific Oceans and implications for mid-Pleistocene ice sheet growth. *Paleoceanography*, v. 23, no. 4, p. (Citation PA4214).
- Meckler, A.N., Haug, G. H.**, Sigman, D.M., Plessen, B., Petersen, L.C., **Thierstein, H.R.**, 2007. Detailed sedimentary N isotope records from Cariaco Basin for Terminations I and V: Local and global implications. *Global Biogeochemical Cycles* 21, GB4019: 1-13.
- Méhay, S., Keller, C.E., Bernasconi, S.M., Weisert, H., Erba, E., Bottini, C. and Hochuli, P.A.** 2009. A volcanic CO₂ pulse triggered the Cretaceous Oceanic Anoxic Event 1a and a biocalcification crisis. *Geology*, 37: 819-822.
- Meister, P.**, Gutjahr, M., Frank, M., **Bernasconi, S.M., Vasconcelos, C., and McKenzie, J.A.** (2011); Dolomite formation within the methanogenic zone induced by tectonically driven fluids in the Peru accretionary prism: *Geology* 39, 563-566
- Meister, P., Bernasconi, S.M., Aiello, I.W., Vasconcelos, C., and McKenzie, J.A.**, 2009. Depth and controls of Ca-rhodochrosite precipitation in bioturbated sediments of the Eastern Equatorial Pacific, ODP Leg 201, Site 1226 and DSDP Leg 68, Site 503. *Sedimentology* 56, 1552-1568.
- Meister, P., Bernasconi, S., McKenzie, J.A., and Vasconcelos, C.**, 2008. Sea-level changes control diagenetic dolomite formation in hemipelagic sediments of the Peru Margin. *Marine Geology* 252, 166-173.
- Meister, P., Bernasconi, S., McKenzie, J.A., Vasconcelos, C., Frank, M., Gutjahr, M., and Schrag, D.**, 2007. Dolomite formation in the dynamic deep biosphere: Results from the Peru Margin (ODP Leg 201). *Sedimentology* 54, 1007-1032.
- Meister, P., McKenzie, J.A., Warthmann, R., and Vasconcelos, C.**, 2006. Mineralogy and petrography of Diagenetic Dolomite from the ODP Leg 201 Peru margin drill sites. *Proc. ODP, Sci. Results*, 201.
- Meister, P., Prokopenko, M., Skilbeck, C.G., Watson, M., and McKenzie, J.A.**, 2005. Data report: compilation of total organic and inorganic carbon data from Peru margin and eastern equatorial Pacific drill sites (ODP Legs 112, 138, and 201). *Proc. ODP, Sci. Results*, 201.
- Meyers P.A., **Bernasconi S.M.** and Yum J-G., 2009. 20 My of Climate-Induced Nitrogen Fixation During Deposition of Mid-Cretaceous Black Shales on the Demerara Rise, Equatorial Atlantic Ocean. *Organic*

- Meyers P.A., **Bernasconi S.M.** and Forster A., 2006. Origins and accumulation of organic matter in expanded Aptian to santonian black shale sequences on the Demerara Rise, South American Margin. *Organic geochemistry*, 37, 1816-1830.
- Meyers P.A. and **Bernasconi S.M.**, 2005. Carbon and nitrogen isotope excursions in three mid-Pleistocene sapropels from the Tyrrhenian Basin: Implications for climate-induced changes in biological productivity. *Marine Geology*, 220, pp. 41-58.
- Minakov, Alexander N.; **Podladchikov, Yury Yu.** (2011) Tectonic subsidence of the Lomonosov Ridge. *Geology* 40(2) 99-102
- Millan, M.I., Weissert, H.J., Fernandez-Mendiola, P.A., and Garcia-Mondejar, J.**, 2009. Impact of Early Aptian carbon cycle perturbations on evolution of a marine shelf system in the Basque-Cantabrian Basin (Aralar, N Spain): *Earth and Planetary Science Letters*, v. 287, p. 392-401.
- Moran, K., Backman, J., Brinkhuis, H., Clemens, S. C., Cronin, T. M., Dickens, G. R., Eynaud, F., Gattacceca, J., Jakobsson, M., Jordan, R. W., Kaminski, M., King, J., Koc, N., Krylov, A., Martinez, N. C., Matthiessen, J., McInroy, D., Moore, T. C., Onodera, J., O'Regan, M., Palike, H., Rea, B., Rio, D., Sakamoto, T., Smith, D. C., Stein, R., St. John, K., Suto, I., Suzuki, N., Takahashi, K., Watanabe, M., Yamamoto, M., Farrell, J., Frank, M., **Kubik, P.**, Jokat, W., and Kristoffersen, Y., 2006, The Cenozoic palaeoenvironment of the Arctic Ocean: *Nature*, v. 441, no. 7093, p. 601-605.
- Mort, H., **Adatte, T., Föllmi, K.B.**, Keller, G., Steinmann, P., Matera, V., Berner, Z., and Stüben, D., 2007. Phosphorus and the roles of productivity and nutrient recycling during oceanic anoxic event 2. *Geology*, v. 35, p. 483-486.
- Mort, H., Jacquat, O., **Adatte, T., Steinmann, P., Föllmi, K.B.**, Matera, V., Berner, Z., and Stüben, D., 2007. The Cenomanian-Turonian anoxic event at the Bonarelli Level in Italy and Spain: enhanced productivity and/or better preservation? *Cretaceous Research*, v. 28, p. 597-612.
- Müntener, O.**, Manatschal, O., 2006. High degrees of melting recorded by spinel harzburgites on the Newfoundland margin: role of inheritance, and consequences for the evolution of the southern North Atlantic. *Earth and Planetary Science Letters*, 252, 437-452.
- Müntener O.**, 2010. Serpentine and serpentinites: a link between planet formation and life: *Geology* 38; no. 10; p. 959–960; doi: 10.1130/focus102010.1.
- Müntener, O.**, Manatschal, G., Desmurs, L., **Pettke, T.**, 2010. Plagioclase peridotites in Ocean-Continent transitions: refertilized mantle domains generated by melt stagnation in the shallow mantle lithosphere. *Journal of Petrology* 51, 255-294. doi:10.1093/petrology/egp087.
- Müntener, O., Pettke, T., Desmurs, L., Meier, M. & Schaltegger, U.**, 2004. Refertilization of mantle peridotite in embryonic ocean basins: Trace element and Nd-isotopic evidence and implications for crust-mantle relationships. *Earth and Planetary Science Letters* 221, 293-308.
- Naafs, B. D. A., Heftner, J., Acton, G., **Haug, G. H., Martinez-Garcia, A.**, Pancost, R., and Stein, R., 2012, Strengthening of North American dust sources during the late Pliocene (2.7 Ma): *Earth and Planetary Science Letters*, v. 317, p. 8-19.
- Naafs, B. D. A., Stein, R., Heftner, J., Khelifi, N., De Schepper, S., and **Haug, G. H.**, 2010, Late Pliocene changes in the North Atlantic Current: *Earth and Planetary Science Letters*, v. 298, no. 3-4, p. 434-442.
- Nielsen, S. G., Rehkaemper, M.**, Teagle, D. A. H., Butterfield, D. A., Alt, J. C., and **Halliday, A. N.**, 2006, Hydrothermal fluid fluxes calculated from the isotopic mass balance of thallium in the ocean crust: *Earth and Planetary Science Letters*, v. 251, no. 1-2, p. 120-133.
- Nikolaeva, K., Gerya, T.V., Connolly, J.A.D.**, 2008. Numerical modelling of crustal growth in intraoceanic volcanic arcs. *Phys. Earth Planet. Interiors*, 171, 336-356.
- Pedersen R.B., Rapp H.T., Thorseth I.H., Lilley M.D., Barriga F.J.A.S., **Baumberger T.**, Flesland K., Fonseca R., **Früh-Green G.L.**, Jorgensen S.L., 2010. Discovery of a black smoker vent field and vent fauna at the Arctic Mid-Ocean Ridge. *Nature Communications*, 1:126, DOI: 10.1038/ncomms1124.
- Pellaton, C. & Gorin, G.E.**, 2005. The Miocene New Jersey passive margin as a model for the distribution of sedimentary organic matter in siliciclastic deposits. *Journal Sedimentary Research*, 75, 1013-1029.

- Pelletier L, **Vils, FA**, Kalt A & Gmelin K. 'Li, B and Be contents of harzburgites from the Dramala complex (Pindos Ophiolite, Greece): Evidence for a MOR-type mantle in a supra-subduction zone environment', Journal of Petrology, 49, (pp. 2043-2080), 2008
- Pichevin, Laetitia E. ; **Reynolds, B. C.**; Ganeshram, R. S.; Cacho, I.; Pena, L.; Keefe, K.; Ellam, R. M. (2009) Enhanced carbon pump inferred from relaxation of nutrient limitation in the glacial ocean. Nature 459: 1114-1117
- Premoli Silva, I., **Caron, M.**, Leckie, R. M., Petrizzo, M. R., Soldan, D., and Verga, D., 2009, Paraticinella n. gen. and taxonomic revision of Ticinella bejaouensis Sigal, 1966: Journal of Foraminiferal Research, v. 39, no. 2, p. 126-137.
- Proskurowski G., Lilley, M.D., Seewald, J.S., **Früh-Green, G.L.**, Olson, E.J., Lupton, J.E., Sylva, S.P., Kelley, D.S., 2008. Abiogenic Hydrocarbon Production at Lost City Hydrothermal Field. Science, v.319, 604-607.
- Quinn, P., Thierstein, H.R.**, Brand, L., Winter A., 2003. Experimental evidence for the species character of *Calcidiscus leptoporus* morphotypes. Journal of Paleontology, 77: 825-830.
- Raddatz, J., Rueggeberg, A., **Margreth, S.**, and Dullo, W.-C., 2011, Paleoenvironmental reconstruction of Challenger Mound initiation in the Porcupine Seabight, NE Atlantic: Marine Geology, v. 282, no. 1-2, p. 79-90.
- Riedinger, N., Brunner, B., Formolo, M.J., Solomon, E., Kasten, S., **Strasser, M.**, Ferdelman, T.G., 2010. Oxidative sulfur cycling in the deep biosphere of the Nankai Trough, Japan: Geology, 38, 851-854.
- Ren, H., Sigman, D.M., **Meckler, A.N.**, Plessen, B., Robinson, R.S., Rosenthal, Y., and **Haug G.H.**, 2009, Foraminiferal Isotope Evidence of Reduced Nitrogen Fixation in the Ice Age Atlantic Ocean: Science, v. 323, p. 244-248.
- Reynolds, B. C.**, Frank, M., and Burton, K. W., 2006, Constraining erosional input and deep-water formation in the North Atlantic using Nd isotopes: Chemical: Geology, v. 226, no. 3-4, p. 253-263.
- Reynolds, B. C.** ; Frank, M.; Halliday, A. N. (2008) Evidence for a major change in silicon cycling in the subarctic North Pacific at 2.73 Ma. Paleoceanography, v. 23, no. 4, p. (PA4219).
- Rohling, E. J., Sprovieri, M., Cane, T., Casford, J. S. L., Cooke, S., Bouloubassi, I., Emeis, K. C., **Schiebel, R.**, Rogerson, M., Hayes, A., Jorissen, F. J., and Kroon, D., 2004, Reconstructing past planktic foraminiferal habitats using stable isotope data; a case history for Mediterranean sapropel S5: Marine Micropaleontology, v. 50, no. 1-2, p. 89-123.
- Rollion-Bard, C., Vigier, N. and **Spezzaferri S.**, 2007. In-situ measurements of calcium isotope compositions by ion microprobe in carbonates and application to the study of foraminifera. Chemical Geology, 244, 679-690.
- Sakaguchi, A., Kimura, G., **Strasser, M.**, Sreaton, E.J., Curewitz, D., Murayama, M., (2011) Episodic seafloor mud brecciation due to great subduction zone earthquakes: Geology, 39, 919-922,
- Sarnthein, M., **Bartoli, G.** et al., 2009. Mid-Pliocene shifts in ocean overturning circulation and the onset of Quaternary---style climates, Climate of the Past, 5, 269–283.
- Sassa, K., He, B., Miyagi, T., **Strasser, M.**, Konagai, K., Ostric, M., Setiawan, H., Takara, K., Nagai, O., Yamashiki, Y., Tutumi, S., (2012). A hypothesis of the Senoumi submarine megaslide in Suruga Bay in Japan -based on the undrained dynamic-loading ring shear tests and computer simulation. Landslides, 9, 439-455, DOI 10.1007/s10346-012-0356-2;
- Schmidt, D., Thierstein, H. R. and Bollmann, J.**, 2004. The evolutionary history of size variation of planktic foraminiferal assemblages in the Cenozoic. Palaeogeography, Palaeoclimatology, Palaeoecology 212: 159-180.
- Schmidt, D., Thierstein, H. R., Bollmann, J. and Schiebel, R.**, 2004. Abiotic forcing of plankton evolution in the Cenozoic. Science 303: 207-210.
- Schmidt, D. N., Renaud, S., Bollmann, J., Schiebel, R. and Thierstein, H. R.**, 2004. Size distribution of Holocene planktic foraminifer assemblages: biogeography, ecology and adaptation. Marine Micropaleontology 50(3/4): 319-338.
- Schwarzenbach E.M., Früh-Green G.L., Bernasconi S.M.**, Alt J.C, Shanks III W.C., Gaggero Laura Crispini, L. (2012) Sulfur geochemistry of peridotite-hosted hydrothermal systems: Comparing the Ligurian ophiolites

- with oceanic serpentinites. *Geochim. Cosmochim. Acta*. 91:283–305.
- Screaton, E., Kimura, G., Curewitz, D., Moore, G., Chester, F., Fabbri, O., Ferguson, C., **Girault, F.**, Goldsby, D., Harris, R., Inagaki, F., Jiang, T., Kitamura, Y., Knuth, M., Li, C. F., Liljedahl, L. C., Louis, L., Milliken, K., Nicholson, U., Riedinger, N., Sakaguchi, A., Solomon, E., **Strasser, M.**, Su, X., Tsutsumi, A., Yamaguchi, A., Ujiee, K., and Zhao, X., 2009. Interactions between deformation and fluids in the frontal thrust region of the NanTroSEIZE transect offshore the Kii Peninsula, Japan: Results from IODP Expedition 316 Sites C0006 and C0007, *Geochemistry, Geophysics, Geosystems*, 10, Q0AD01
- Siddall, M., Rohling, E. J., Blunier, T., and **Spahni, R.**, 2010, Patterns of millennial variability over the last 500 ka: *Climate of the Past*, v. 6, no. 3, p. 295-303.
- Siddall, M., Stocker, T. F., Blunier, T., Spahni, R.**, McManus, J. F., and Bard, E., 2006, Using a maximum simplicity paleoclimate model to simulate millennial variability during the last four glacial periods. *Quaternary Science Reviews*, v. 25, no. 23-24, p. 3185-3197.
- Sigman, D.M., **Jaccard, S.L.**, **Haug, G.H.**, 2004. Polar Ocean Stratification in a Cold Climate, *Nature* 428, 59-63.
- Spezzaferri, S. and Spiegler, D., 2005. Fossil planktonic foraminifera (an overview). *Paläontologische Zeitschrift*. Stuttgart. Invited article. 79:1, 149-166.
- Spezzaferri, S.** and Pearson P.N., 2009. *Catapsydrax indianus* a new planktonic foraminifera index species for the Late Oligocene-Early Miocene. *Journal Foraminiferal Research*, 39, 2, 112-119.
- Spezzaferri, S.**, and Yanko-Hombach, V., 2007, *Hyalinea marmarica*, a new species of benthic Foraminifera from the Sea of Marmara (Turkey): *Journal of Foraminiferal Research*, v. 37, no. 4, p. 309-317.
- Spiegler, D. and **Spezzaferri, S.**, 2005. Bolboforma, an overview. *Paläontologische Zeitschrift*. Stuttgart. Invited article. 79:1, 167-181.
- Stein, R., **Schubert, C.**, Macdonald, R. W., Fahl, K., Harvey, H. R., and Weiel, D., 2004, Organic carbon in Arctic Ocean sediments; sources, variability, burial, and paleoenvironmental significance; the central Arctic Ocean; distribution, sources, variability and burial of organic carbon, in Stein, R., and Macdonald, R. W., eds., *The organic carbon cycle in the Arctic Ocean*: Berlin, Springer, p. 295-314.
- Strasser, M., Weissert, H., Bernasconi, S.**, 2006. Data Report: Carbon and oxygen isotope geochemistry along a subducting pelagic section offshore Costa Rica (ODP Leg 170 and 205). In Morris, J.D, Villinger, H.W. and Adams, K. (Eds.), *Proc. ODP, Sci. Results*, 205.
- Strasser, M.**, Moore, G., Kimura, G., Kopf, A., Underwood, M., Guo, J., Screaton E. (2011), Slumping and mass-transport deposition in the Nankai forearc: Evidence from IODP drilling and 3-D reflection seismic data *Geochemistry, Geophysics, Geosystems*, 12, Q0AD13, doi: 10.1029/2010GC003431;
- Strasser, M.**, Henry, P., Kanamatsu, T., Thu, M.K., Moore, G.F., and the IODP Expedition 333 Scientists (2012) Scientific Drilling of Mass-Transport Deposits in the Nankai accretionary wedge: First Results from IODP Expedition 333. IN. Y. Yamada et al., (eds.) *Submarine Mass movements and their consequences Advances in Natural and Technological Hazard Research*, 31, 671-681
- Strasser. M.**, Moore, G.F., Kimura, G., Kitamura, Y., Kopf, A.J., Lallement, S., Park J.-O., Screaton, E.L., Su, X., Underwood, M.B., Zhao, X. (2009) Origin and Evolution of a spaly fault in the Nankai accretionary prism, *Nature Geoscience*, 2, 648-652.
- Studer, A., Martinez-Garcia, A., Jaccard, S.L., Girault, F.**, Sigman, D.M., **Haug, G.H.** Enhanced stratification and seasonality in the subarctic Pacific upon Northern Hemisphere Glaciation – new evidence from diatom-bound nitrogen isotopes, alkenones and archeal tetraethers. *Earth and Planetary Science Letters*, 351, 84-94, 2012
- Tamburini, F., and **Föllmi, K.B.**, 2008. Phosphorus burial in the ocean over glacial-interglacial time scales. *Biogeosciences*, v. 5, p. 5133-5162.
- Tamburini, F., Bernasconi, S. M., Foellmi, K. B., Adatte, T., and Steinmann, P.**, 2004, Sedimentary phosphorus record from the Oman margin; new evidence of high productivity during glacial periods -reply: *Paleoceanography*, v. 19, no. 4, p. 4
- Tamburini, F., Adatte, T., Foellmi, K., Bernasconi, S. M., and Steinmann, P.**, 2003, Investigating the history of East Asian monsoon and climate during the last glacial-interglacial period (0-140 000 years); mineralogy and geochemistry of ODP sites 1143 and 1144, South China Sea: *Marine Geology*, v. 201, no. 1-3, p. 147-168.

- Tamburini, F., Foellmi, K. B., Adatte, T., Bernasconi, S. M., and Steinmann, P.**, 2003, Sedimentary phosphorus record from the Oman margin; new evidence of high productivity during glacial periods: *Paleoceanography*, v. 18, no. 1, p. 15.11-15.14.
- Thierstein, H. R. and Young, J.** (Eds.), 2004. *Coccolithophores - from molecular processes to global impact*. J. Berlin, Heidelberg, Springer Verlag, 565pp.
- Thierstein, H. R., Cortes, M. and Haidar, A. T.**, 2004. Plankton community behavior on ecological and evolutionary timescales: when models confront evidence. In: Thierstein, H. R. and Young, J. (Eds.): *Coccolithophores - from molecular processes to global impact*. J. Berlin, Heidelberg, Springer Verlag: 455-480.
- van der Laan, E., Snel, E., **de Kaenel, E.**, Hilgen, F. J., and Krijgsman, W., 2006, No major deglaciation across the Miocene-Pliocene boundary; integrated stratigraphy and astronomical tuning of the Loulja sections (Bou Regreg area, NW Morocco): *Paleoceanography*, v. 21, no. 3, p. (PA3011).
- Vandergoes, M. J., Newnham, R. M., **Preusser, F.**, Hendy, C. H., Lowell, T. V., Fitzsimons, S. J., Hogg, A. G., Kasper, H. U., and **Schluechter, C.**, 2005, Regional insolation forcing of late Quaternary climate change in the Southern Hemisphere: *Nature*, v. 436, no. 7048, p. 242-245.
- Van de Schootbrugge, B., **Kuhn, O., Adatte, T., Steinmann, P., and Föllmi, K.B.**, 2003. Decoupling of P- and C_{org}-burial following Early Cretaceous (Valanginian-Hauterivian) platform drowning along the NW Tethyan margin. *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 199, p. 315-331
- Vigier, N., Rollion-Bard, C., **Spezzaferri, S.** and Brunet, F., 2007. In-situ measurements of Li isotopes in foraminifera. *Geochemistry, Geophysics, Geosystems*, Q01003.
- Vils, FA, Müntener O**, Kalt A & Ludwig T. 'Implications of the serpentine phase transition on the behaviour of beryllium and lithium?boron of subducted ultramafic rocks', *Geochimica et Cosmochimica Acta*, 75, (pp. 1249-1271),
- Vils, FA**, Tonarini S, Kalt A & Seitz HM. (2009) 'Boron, lithium and strontium isotopes as tracers of seawater serpentinite interaction at Mid-Atlantic ridge, ODP Leg 209', *Earth and Planetary Science Letters*, 286, (pp. 414-425), 2009
- Vils F.**, Pelletier L., Kalt A., **Müntener O.** and Ludwig T., 2008. The lithium, boron and beryllium content of serpentinitized peridotites from ODP Leg 209 (Sites 1272A and 1274A): Implications for lithium and boron budgets of oceanic lithosphere. *Geochimica et Cosmochimica Acta* 72, 5475-5504.
- Voegelin, A.R., Nägler, T.F., Samankassou, E., and Villa, I.M.** (2009): Molybdenum isotopic composition of modern and Carboniferous carbonates. *Chemical Geology*, v. 265, p. 488-498.
- Von Allmen, Katja; Boettcher, Michael E. ; Samankassou, Elias; Naegler, Thomas F.** (2010) Barium isotope fractionation in the global barium cycle; first evidence from barium minerals and precipitation experiments. *Chemical Geology* 277(1-2)
- Wanner, Heinz ; Beer, Juerg; Buetikofer, Jonathan; Crowley, Thomas J.; Cubasch, Ulrich; Flueckiger, Jacqueline; Goosse, Hugues; Grosjean, Martin; Joos, Fortunat; Kaplan, Jed O.; Kuettel, Marcel; Mueller, Simon A.; Prentice, I. Colin; Solomina, Olga; Stocker, Thomas F.; Tarasov, Pavel; Wagner, Mayke; Widmann, Martin** (2008) Mid- to late Holocene climate change; an overview: *Quaternary Science Reviews* 27(19-20) 1791-1828
- Weissert, H.** 2011. Mesozoic pelagic sediments – archives for ocean and climate history. *Deep Sea sediments, Dev. In Sedimentology*, 63. 785-793.
- Weissert, H. and Erba, E.** 2004. Volcanism, CO₂ and palaeoclimate: a Late Jurassic-Early Cretaceous carbon and oxygen isotope record. *Journal of the Geological Society*, 161: 695-702.
- Westermann, S., **Föllmi, K.B., Adatte, T.**, Matera, V., Schnyder, J., **Fleitmann, D.**, Fiet, N., Ploch, I., and Duchamp-Alphonse, S., 2010. The Valanginian delta ¹³C excursion may not be an expression of a global anoxic event. *Earth and Planetary Science Letters*, v. 290, p. 118-131.
- Westermann, S., **Caron, M.**, Fiet, N., Fleitmann, D., Matera, V., **Adatte, T., and Föllmi, K.B.**, 2010. Evidence for oxic conditions during oceanic anoxic event 2 in the northern Tethyan pelagic realm. *Cretaceous Research*, v. 31, p. 500-514.
- Wiemer, G., Reusch, A., **Strasser, M.**, Kreiter, S., Otto, D., Mörz, T., Kopf, A., (2012) Static and cyclic shear

strength of cohesive and non-cohesive sediments. IN. Y. Yamada et al., Submarine Mass movements and their consequences Advances in Natural and Technological Hazard Research, 31, 111-122, DOI 10.1007/978-94-007-2162-3_10;

WARTHMANN, R., MEISTER, P., MAUCLAIRE, L., Chatzinotas, A., Neretin, L., BERNASCONI, S., VASCONCELOS, C., MCKENZIE, J.A., and the ODP Leg 201 Shipboard Scientific Party (2004) Search for microbial life in the deep sub-seafloor: Preliminary results from ODP Leg 201; In: Mars: The search for life. Proc. of the III European Workshop on Exo-Astrobiology, Madrid, Spain, 149-151.

Wortmann U.G., Chernyavski B., **Bernasconi S.M.**, Brunner, B., Böttcher M.E. and Swart P.K., 2007. Oxygen isotope biogeochemistry of pore water sulfate in the deep biosphere; dominance of isotope exchange reactions with ambient water during microbial sulfate reduction (ODP Site 1130): *Geochimica et Cosmochimica Acta*, v. 71, no. 17, p. 4221-4232

Wortmann, U.G., Herrle, J.O. and Weissert, H. 2004. Altered carbon cycling and coupled changes in Early Cretaceous weathering patterns: Evidence from integrated carbon isotope and sandstone records of the western Tethys. *Earth and Planetary Science Letters*, 220: 69-82.

Dissertation related to scientific ocean drilling at Swiss Universities (2003-2012)

Dissertations, which were completed since 2003 or are currently ongoing at Swiss Institutions, and which related to scientific ocean drilling through either using samples or materials from DSDP, ODP or IODP expedition or acquiring and/or analyzing site survey data that led to, or will lead to an IODP drilling proposal, are listed below.

- Baumberger, Tamara (2011) Volatiles in marine hydrothermal systems, Diss ETH 20061.
- Bodin, Stephane., (2006) Palaeoceanographic and palaeoclimatologic changes during the late Hauterivian – Barremian and their impact on the northern Tethyan margin: a combined sedimentological and geochemical approach. PhD thesis at University of Neuchâtel
- Boschi Chiara, (2006). Building Lost City, serpentinization, mass transfer, and fluid flow in an oceanic core complex Diss ETH No 16720
- Brown, K. (2007). Biogeographic and morphological variation in late Pleistocene to Holocene globorotalid foraminifera. Dissertation Phil. Nat. Fakultät, Universität Basel, No. 8290
- Buchs, David. (2008). Late Cretaceous to Eocene geology of the South Central American forearc area (southern Costa Rica and western Panama): Initiation and evolution of an intra-oceanic convergent margin. Diss Univ. Lausanne)
- Burla Stefan (2007) response of Atlantic coastal environments (Portugal) to mid-Cretaceous climate change: insights from sedimentology and isotope geochemistry Diss ETH No 17110
- Delacour, Adélie, (2007): Linking serpentinization, fluid fluxes mass transfer and microbial activity at Lost City: geochemical and isotopic constraints Diss ETH No 17198
- Efimenko, Natalia (2011) Origin of cadmium enrichments in carbonate rocks deposited in the Alpine Tethys area during the Middle-Late Jurassic, Ph.D. thesis University of Lausanne
- Giorgioni, Martino (2012) Long- and short-term changes in ethyan oceanography and in global carbon cycling during Albian-Cenomanian time. Diss ETH Zürich, N 20215
- Girault, France., (2010): Size and textural patterns in centric diatoms since the Miocene. Diss. ETH No. 19336.
- Gutjahr, Marcus. (2006) Reconstruction of changes in ocean circulation and continental weathering using radiogenic isotopes in marine sediments ETH No. 16763
- Grauel, Anna Lena. (2012) Calibration of the ‘clumped isotope’ thermometer on foraminifera and its application to high-resolution climate reconstruction of the past 2500 yr in the gulf of Taranto (Eastern Mediterranean Sea) ETH No 20360
- Herrmann, Sandra., (2010): Ecological and evolutionary significance of coccolith size changes. Diss. ETH No. 19191.
- Jaccard, Samuel L., (2006): The history of the biological pump in the subarctic Pacific: implications for past atmospheric CO₂ variability and abrupt climate change. Diss. ETH No. 16373.
- Margreth, Stephan (2010) Benthic foraminifera as bioindicators of cold-water coral ecosystems Dissertation at University of Fribourg
- Meckler Anna Nele, (2006): Late Quaternary changes in nitrogen fixation and climate variability. Diss. ETH No. 16811.
- Meister, Patrick., (2005). Linking the formation of dolomite and other early diagenetic minerals with microbial activity in deep-sea sediments: results from ODP Leg 201, Peru Margin and Eastern Equatorial Pacific. Diss. ETH Zürich 15916
- Nielsen, Sune Grønlund (2005) Thallium isotope variations in terrestrial materials and meteorites. Diss. ETH Zürich 15981

Pellaton, Caroline (2003), Distribution of sedimentary organic matter (palynofacies) with respect to palaeoenvironmental conditions; two case histories from the Miocene of the USA PhD thesis, University of Geneva. Switzerland, 185p

Pelletier, Laure (2008) The oceanic mantle as an important repository for the light elements Li, Be and B. University of Neuchâtel, 177p.

Schwarzenbach, Esther (2011) Serpentization, Fluids and Life: Comparing Carbon and Sulfur Cycles in Modern and Ancient Environments, Diss ETH Zürich 19588.

Vils Flurin., (2009). Light elements in oceanic and ophiolitic serpentinites. PhD thesis, University of Neuchâtel. Switzerland, 178p.

Von Allmen, Katja (2010) Variations of calcium and barium isotopes and elemental contents in biogenic and abiogenic geological archives. Dissertation at the University of Fribourg